

# WHEAT VARIETIES



**NATIONAL  
AGRICULTURAL  
STATISTICS  
SERVICE**

July 9, 2010  
PRESS RELEASE  
Internet-www.nass.usda.gov/or  
Email: nass-or@nass.usda.gov

**USDA, NASS, Oregon Field Office**  
1220 SW 3<sup>rd</sup> Ave., Room 1735  
Portland, Oregon 97204  
(503) 326-2131 or 1-800-338-2157

## Oregon 2010 wheat varieties: ORCF 101 New #1

ORCF 101 (OSU Clearfield) surpassed Stephens as the leading variety for Oregon, a title Stephens had held since 1979. ORCF 101 (OSU Clearfield) accounted for 19.1 percent of the planted acreage this year. This amount is up from last year's 16.4 percent. Stephens fell to the second most planted variety with 12.1 percent, down from 19.3 percent last year. Tubbs came in third at 10.2 percent, down from last year's 13.5 percent. Fourth was Tubbs 06 at 9.8 percent, up from 6.7 percent last year. Goetze rounded out the top five with 9.5 percent, up from 2.8 percent one year ago. District level estimates were made for 39 varieties and mixtures plus a grouping of all other varieties for each class of wheat.

This report is the result of a survey conducted by the Oregon Field Office of the National Agricultural Statistics Service. Funding for the survey was provided by the Oregon Wheat Commission. This report would not be possible without the cooperation of participating farmers and ranchers.

**Wheat varieties: Percent of acreage by district, Oregon 2009-2010**

Variety	Varieties as a percent of planted acres within each district							
	North Central		Northeast		Southeast		Northwest <sup>1</sup>	
	2009	2010	2009	2010	2009	2010	2009	2010
	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>
Alpowa	5.0	5.6	1.1	1.8	10.9	9.9	5.7	4.7
Alturus	1.8	0.7	-	-	-	-	1.3	-
AP700CL	0.6	1.0	1.6	1.8	-	-	-	-
Cabernet	0.1	-	-	0.6	6.7	4.9	-	-
Coda	1.2	2.5	0.3	0.3	-	-	-	-
Delco	-	-	0.7	1.3	-	-	-	-
Express	0.5	2.2	0.3	1.3	-	-	-	-
Gene	3.4	1.0	0.5	-	1.3	-	-	-
Goetze	0.7	2.5	0.5	1.0	0.8	-	25.3	55.9
Hank	-	-	1.3	1.9	5.0	-	-	-
Jefferson	3.2	3.0	1.1	1.0	-	-	-	-
Louise	1.6	1.8	1.0	1.0	-	-	5.1	-
Madsen	0.7	0.4	4.5	-	2.5	-	9.6	4.3
Madsen/Stephens/Tubbs	0.9	0.5	-	-	-	-	-	-
Madsen/Tubbs	1.8	-	1.1	0.6	-	-	-	0.7
Madsen/Tubbs/Weatherford	0.9	-	-	-	-	-	-	-
Merrill	-	-	-	-	-	-	5.1	1.4
Nick	-	-	1.4	1.0	3.9	2.5	-	-
Northwest 553	-	0.8	0.7	4.2	-	-	-	-
ORCF 101 (OSU Clearfield)	30.8	37.0	2.7	1.9	0.8	1.2	2.0	-
ORCF 102 (OSU Clearfield)	1.7	1.8	9.9	18.8	-	-	-	-
Paladin	0.8	0.2	-	1.0	-	-	-	-
Rod	-	-	1.4	-	-	-	-	-
Rod/Tubbs	-	-	2.9	2.1	-	-	-	-
Stephens	19.4	12.9	19.2	10.2	42.0	54.3	2.5	1.1
Stephens/Tubbs	2.6	-	0.5	3.9	-	-	-	-
Tubbs	12.5	11.1	17.9	10.6	2.5	3.7	10.1	8.2
Tubbs 06	3.2	8.6	8.0	10.4	1.7	-	25.3	15.8
Yamhill	-	-	1.0	-	2.5	3.7	3.8	1.4
Other varieties	6.6	6.4	20.4	23.3	19.4	19.8	4.2	6.5
<b>Planted acres <sup>2</sup></b>	<b>438,700</b>	<b>487,000</b>	<b>312,600</b>	<b>308,000</b>	<b>59,500</b>	<b>40,500</b>	<b>79,200</b>	<b>139,500</b>

<sup>1</sup> Northwest District includes small amount of acreage from the Southwest District.

<sup>2</sup> 2010 planted acres are preliminary estimates.

**Wheat varieties, by class and totals by type, Oregon 2009-2010**

Variety by class	Percent of all wheat		Planted acres <sup>1</sup>		2010 planted acres by district <sup>1</sup>			
	2009 <sup>2</sup>	2010 <sup>2</sup>	2009	2010	NC	NE	SE	NW <sup>3</sup>
	<i>Percent</i>	<i>Percent</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>
	<b>White wheat varieties</b>							
<b>Soft white winter</b>								
AP700CL	0.8	1.1	7,500	10,500	5,000	5,500	-	-
Brundage 96	0.3	0.3	2,500	3,000	-	2,000	1,000	-
Gene	1.9	0.5	17,300	5,000	5,000	-	-	-
Goetze	2.8	9.5	25,000	93,000	12,000	3,000	-	78,000
Hill 81	0.1	-	1,000	-	-	-	-	-
Madsen	2.9	1.1	26,100	11,000	2,000	3,000	-	6,000
Madsen/Stephens	0.3	0.3	3,000	3,000	3,000	-	-	-
Madsen/Stephens/Tubbs	0.4	0.3	4,000	2,500	2,500	-	-	-
Madsen/Tubbs	1.3	0.3	11,500	3,000	-	2,000	-	1,000
Madsen/Tubbs/Weatherford	0.4	0.1	4,000	1,000	-	1,000	-	-
Malcolm	0.4	-	4,000	-	-	-	-	-
ORCF 101 (OSU Clearfield)	16.4	19.1	145,600	186,500	180,000	6,000	500	-
ORCF 102 (OSU Clearfield)	4.3	6.9	38,400	67,000	9,000	58,000	-	-
Rod	0.5	-	4,500	-	-	-	-	-
Rod/Tubbs	1.0	0.7	9,000	6,500	-	6,500	-	-
Stephens	19.3	12.1	172,000	118,000	63,000	31,500	22,000	1,500
Stephens/Tubbs	1.5	1.2	13,000	12,000	-	12,000	-	-
Tubbs	13.5	10.2	120,500	99,500	54,000	32,500	1,500	11,500
Tubbs 06	6.7	9.8	60,000	96,000	42,000	32,000	-	22,000
Yamhill	0.9	0.4	7,600	3,500	-	-	1,500	2,000
Other varieties	5.3	7.0	47,500	68,500	20,000	43,500	1,000	4,000
<b>Total</b>	<b>81.0</b>	<b>81.0</b>	<b>724,000</b>	<b>789,500</b>	<b>397,500</b>	<b>238,500</b>	<b>27,500</b>	<b>126,000</b>
<b>Soft white spring</b>								
Alpowa	4.1	4.5	36,500	43,500	27,500	5,500	4,000	6,500
Alturas	1.0	0.4	9,000	3,500	3,500	-	-	-
Louise	1.6	1.5	14,000	15,000	9,000	2,000	-	4,000
Merrill	0.4	0.2	4,000	2,000	-	-	-	2,000
Nick	0.8	0.4	6,800	4,000	-	3,000	1,000	-
Other varieties	0.8	0.5	7,300	5,000	1000	1,500	1,500	1,000
<b>Total</b>	<b>8.7</b>	<b>7.5</b>	<b>77,600</b>	<b>73,000</b>	<b>41,000</b>	<b>12,000</b>	<b>6,500</b>	<b>13,500</b>
<b>White club</b>								
Coda	0.7	1.3	6,200	13,000	12,000	1,000	-	-
Crew	0.2	-	1,600	-	-	-	-	-
Other varieties	0.5	0.1	4,200	1,000	500	500	-	-
<b>Total</b>	<b>1.3</b>	<b>1.4</b>	<b>12,000</b>	<b>14,000</b>	<b>12,500</b>	<b>1,500</b>	<b>-</b>	<b>-</b>
<b>All white wheat</b>	<b>91.0</b>	<b>89.9</b>	<b>813,600</b>	<b>876,500</b>	<b>451,000</b>	<b>252,000</b>	<b>34,000</b>	<b>139,500</b>

<sup>1</sup> 2010 planted acres are preliminary estimates.

<sup>2</sup> Percentages may not add to class totals due to rounding.

<sup>3</sup> Northwest District includes small amount of acreage from the Southwest District.


# Wheat varieties, by class and totals by type, Oregon 2009-2010

Variety by class	Percent of all wheat		Planted acres <sup>1</sup>		2010 planted acres by district <sup>1</sup>			
	2009 <sup>2</sup>	2010 <sup>2</sup>	2009	2010	NC	NE	SE	NW <sup>3</sup>
	Percent	Percent	Acres	Acres	Acres	Acres	Acres	Acres
<b>Red wheat varieties</b>								
<b>Hard red winter</b>								
Boundary	0.5	0.1	4,400	1,000	-	1,000	-	-
Delco	0.2	0.4	2,000	4,000	-	4,000	-	-
Finley	0.2	-	2,000	-	-	-	-	-
Northwest 553	0.2	1.7	2,000	17,000	4,000	13,000	-	-
Paladin	0.4	0.4	3,600	4,000	1,000	3,000	-	-
Other varieties	1.1	1.1	10,000	10,500	500	10,000	-	-
<b>Total</b>	<b>2.7</b>	<b>3.7</b>	<b>24,000</b>	<b>36,500</b>	<b>5,500</b>	<b>31,000</b>	<b>-</b>	<b>-</b>
<b>Hard red spring</b>								
Cabernet	0.5	0.4	4,500	4,000	-	2,000	2,000	-
Express	0.3	1.5	3,100	14,500	10,500	4,000	-	-
Hank	0.8	0.6	7,000	6,000	-	6,000	-	-
Jefferson	2.0	1.8	17,600	17,500	14,500	3,000	-	-
Solana	0.3	0.6	2,600	6,000	4,000	2,000	-	-
Tara 2002	0.2	0.1	1,500	1,000	-	1,000	-	-
Yecora Rojo	0.3	0.3	3,000	2,500	-	-	2,500	-
Other varieties	1.0	1.1	9,700	10,500	1,500	7,000	2,000	-
<b>Total</b>	<b>5.5</b>	<b>6.4</b>	<b>49,000</b>	<b>62,000</b>	<b>30,500</b>	<b>25,000</b>	<b>6,500</b>	<b>-</b>
<b>All red wheat</b>	<b>8.2</b>	<b>10.1</b>	<b>73,000</b>	<b>98,500</b>	<b>36,000</b>	<b>56,000</b>	<b>6,500</b>	<b>-</b>
<b>All other wheat</b>	<b>0.2</b>	<b>-</b>	<b>2,000</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>All wheat by type</b>								
<b>Winter wheat</b>	85.4	86.2	760,000	840,000	415,500	271,000	27,500	126,000
<b>Spring wheat</b>	14.6	13.8	130,000	135,000	71,500	37,000	13,000	13,500
<b>All wheat</b>	100.0	100.0	890,000	975,000	487,000	308,000	40,500	139,500


<sup>1</sup> 2010 planted acres are preliminary estimates.

<sup>2</sup> Percentages may not add to class totals due to rounding.

<sup>3</sup> Northwest District includes small amount of acreage from the Southwest District.



## Percent of all wheat by class, 2010



## List of counties within each district

### Northwest

Benton  
Clackamas  
Clatsop  
Columbia  
Lane  
Lincoln  
Linn  
Marion  
Multnomah  
Polk  
Tillamook  
Yamhill  
Washington

### North Central

Gilliam  
Hood River  
Morrow  
Sherman  
Wasco

### Northeast

Baker  
Umatilla  
Union  
Wallowa

### Southwest

Coos  
Curry  
Douglas  
Jackson  
Josephine

### Southeast

Crook  
Deschutes  
Grant  
Harney  
Jefferson  
Klamath  
Lake  
Malheur  
Wheeler

For more details, please contact the Oregon Field Office of USDA, NASS at (503) 326-2131 or 1-800-338-2157 or via email at [nass-or@nass.usda.gov](mailto:nass-or@nass.usda.gov). Information is also available on our home page: [www.nass.usda.gov/or](http://www.nass.usda.gov/or).